

### Listing Constructional Data Report (CDR)

### 1.0 Reference and Address

Report Number	101576014CRT-001	Original Issued:[27-May-2014	Revised: 22-May-2019		
Standard(s)	Gas-Fired Water Heaters, Volume III, Storage Water Heaters With Input Ratings Above 75,000 Btu Per Hour, Circulating And Instantaneous [ANSI Z21.10.3:2017 Ed.8]				
		- Volume Iii, Storage Water Heaters g And Instantaneous [CSA 4.3:2017	s, With Input Ratings Above 75,000 Btu Ed.8]		

Aoolicant	Kiturami Co., Ltd	Manufacturer 1	Kiturami Co., Ltd
Address	1094, Hwagok- 6 Dong, Kangseo-Gu, Seoul	Address	34, Wolgok 2-GIL Cheongdo-eup, Cheongdo-gun Gyeongsangbuk-do
Country	Republic of Korea	Country	Republic of Korea
Contact	JEONG EUNCHAN	Contact	Jung Myang Su
Phone	82.2.2600.9661	Phone	82.54.370.9012
FAX	82.2.2600.9668	FAX	82.54.371.9005
Email	69ec@ishinsung.com	Email	jungmyangsu@krb.co.kr

Manufacturer 2	Kiturami Co., Ltd		
Address	1, Dongsan-ri, Tangjeong-myeon, Asan-si, Chungcheongnam-do.		
Country	South Korea		
Contact	Kang Chaan		
Phone	82.41.530.3573		
FAX	NA		
Email	kca1614@krb.co.kr		

Issued: 27-May-2014 Revised: 22-May-2019

9.0 Correlation Page Fo	or Multiple Listings
The following products, v	which are identical to those identified in this report except for model number and Listee
name, are authorized to	bear the ETL label under provisions of the Intertek Multiple Listing Program.
BASIC LISTEE	Kiturami Co., Ltd
Address	1094, Hwagok- 6 Dong, Kangseo-Gu, Seoul
Country	Republic of Korea
Product	Gas-fired Instantaneous Water Heater

MULTIPLE LISTEE 1	Noritz America Corporation				
Address	11160 Grace Ave. Fountain Valle	y, CA 92708			
Country	USA				
Brand Name	Noritz				
ASSOCIATED MANUFACTURER  All manufacturers shown in Section 1.0					
Address					
Country					
MULTIPLE	LISTEE 1 MODELS	BASIC LISTEE MODELS			
NF	CP982-DV	WOWH 190ED			
NF	RCP 98-DV	KGWH-180FR			
NR	CP1112-DV	KGWH-190FR			
NRCP 111-DV					

MULTIPLE LISTEE 2	HTP, Inc				
Address	PO Box 429, 120 Braley Road, East Freetown, MA 02717				
Country	USA				
Brand Name	Hydra Smart, Westinghouse				
ASSOCIATED MANUFACTURER	IAII manufacturers shown in Section 1 ()				
Address					
Country					
MULTIPLE	LISTEE 2 MODELS	BASIC LISTEE MODELS			
RTP-19	99, RTP-199LP				
	estinghouse 199, WGRTPLP199	KGWH-190FR			

MULTIPLE LISTEE 3		
Address		
Country		
Brand Name		
ASSOCIATED		
MANUFACTURER		
Address		
Country		
MULTIPLE L	ISTEE 3 MODELS	BASIC LISTEE MODELS



This water heater qualifies for Federal Energy Efficiency Tax Credit when placed in service between 1/1/2015 and 12/31/2020.

# Certificate of Product Ratings

AHRI Certified Reference Number: 7432737 Date: 09-02-2020 Model Status: Active

Brand Name: NORITZ

Model Number: NRCP982-DV-NG

Rated as follows in accordance with Department of Energy (DOE) Water Heater test procedures as published in the latest edition of the Code of Federal Regulations, 10 CFR Part 430 and subject to verification of rating accuracy by AHRI-sponsored, independent, third party

Max GPM: 5.4

Uniform Energy Factor: 0.94

The following data is for reference only and is not certified by AHRI

Energy Source : Natural Gas Heater Type : Instantaneous

Usage Bin: High Usage

Nominal Capacity (gal): 0

DOE Rated Storage Volume (gal): 1

Input (MBtu/h): 180.0

Recovery Efficiency, (%): 99

Heat Traps: No

**CERTIFIED**®

www.ahridirectory.org

†"Active" Model Status are those that an AHRI Certification Program Participant is currently producing AND selling or offering for sale; OR new models that are being marketed but are not yet being produced."Production Stopped" Model Status are those that an AHRI Certification Program Participant is no longer producing BUT is still selling or offering for sale.

Ratings that are accompanied by WAS indicate an involuntary re-rate. The new published rating is shown along with the previous (i.e. WAS) rating.

### DISCLAIMER

AHRI does not endorse the product(s) listed on this Certificate and makes no representations, warranties or guarantees as to, and assumes no responsibility for, the product(s) listed on this Certificate. AHRI expressly disclaims all liability for damages of any kind arising out of the use or performance of the product(s), or the unauthorized alteration of data listed on this Certificate. Certified ratings are valid only for models and configurations listed in the directory at www.abridirectory.org.

### TERMS AND CONDITIONS

This Certificate and its contents are proprietary products of AHRI. This Certificate shall only be used for individual, personal and confidential reference purposes. The contents of this Certificate may not, in whole or in part, be reproduced; copied; disseminated; entered into a computer database; or otherwise utilized, in any form or manner or by any means, except for the user's individual, personal and confidential reference.

### **CERTIFICATE VERIFICATION**

The information for the model cited on this certificate can be verified at <a href="www.ahridirectory.org">www.ahridirectory.org</a>, click on "Verify Certificate" link and enter the AHRI Certified Reference Number and the date on which the certificate was issued, which is listed above, and the Certificate No., which is listed at bottom right.

©2020 Air-Conditioning, Heating, and Refrigeration Institute

AIR-CONDITIONING, HEATING, & REFRIGERATION INSTITUTE

we make life better™

CERTIFICATE NO.:

132435345935891919



This water heater qualifies for Federal Energy Efficiency Tax Credit when placed in service between 1/1/2015 and 12/31/2020.

# **Certificate of Product Ratings**

AHRI Certified Reference Number: 7432740 Date: 09-02-2020 Model Status: Active

Brand Name: NORITZ

Model Number: NRCP982-DV-LP

Rated as follows in accordance with Department of Energy (DOE) Water Heater test procedures as published in the latest edition of the Code of Federal Regulations, 10 CFR Part 430 and subject to verification of rating accuracy by AHRI-sponsored, independent, third party

Max GPM: 5.4

Uniform Energy Factor: 0.94

The following data is for reference only and is not certified by AHRI

Energy Source : Propane Gas

Heater Type: Instantaneous

Usage Bin: High Usage

Nominal Capacity (gal): 0

DOE Rated Storage Volume (gal): 1

Input (MBtu/h): 180.0

Recovery Efficiency, (%): 99

Heat Traps: No

**CERTIFIED**®

www.ahridirectory.org

†"Active" Model Status are those that an AHRI Certification Program Participant is currently producing AND selling or offering for sale; OR new models that are being marketed but are not yet being produced."Production Stopped" Model Status are those that an AHRI Certification Program Participant is no longer producing BUT is still selling or offering for sale.

Ratings that are accompanied by WAS indicate an involuntary re-rate. The new published rating is shown along with the previous (i.e. WAS) rating.

### DISCLAIMER

AHRI does not endorse the product(s) listed on this Certificate and makes no representations, warranties or guarantees as to, and assumes no responsibility for, the product(s) listed on this Certificate. AHRI expressly disclaims all liability for damages of any kind arising out of the use or performance of the product(s), or the unauthorized alteration of data listed on this Certificate. Certified ratings are valid only for models and configurations listed in the directory at www.abridirectory.org.

### TERMS AND CONDITIONS

This Certificate and its contents are proprietary products of AHRI. This Certificate shall only be used for individual, personal and confidential reference purposes. The contents of this Certificate may not, in whole or in part, be reproduced; copied; disseminated; entered into a computer database; or otherwise utilized, in any form or manner or by any means, except for the user's individual, personal and confidential reference.

### **CERTIFICATE VERIFICATION**

The information for the model cited on this certificate can be verified at <a href="www.ahridirectory.org">www.ahridirectory.org</a>, click on "Verify Certificate" link and enter the AHRI Certified Reference Number and the date on which the certificate was issued, which is listed above, and the Certificate No., which is listed at bottom right.

©2020 Air-Conditioning, Heating, and Refrigeration Institute



we make life better™

**CERTIFICATE NO.:** 

132435345781493676

### IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org









### CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: October 2015 Void After: October 2016

Product: Water Heaters (Tankless) File No. 8991

Issued To: Kiturami

396, Gonghang-daero Gangseo-gu, Seoul

157-927

*'* 

Korea

Identification: Manufacturer's name or trademark, model number, fuel gas rating or electrical

power rating and cUPC® certification mark. cUPC® certification mark located

so as to be visible after installation.

Characteristics: Instantaneous water heaters designed to be installed at the point of use.

Those models with no storage or with a storage tank 3" in diameter or less do not require a pressure relief device. Units are equipped with controls so that electrical power or fuel gas input is supplied only at those times when hot water is drawn from the heater. To be installed in accordance with the manufacturer's instructions and the provisions of the latest edition of the

Uniform Plumbing Code.

Each tankless water heater product is to be installed with a category III listed vent that complies to the latest edition of the Uniform Plumbing Code

particularly section 514.3.

Chairman Braduct Cartification Committee

CEO. The IAPMO Group

Compagnation of the control of the c

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 2

Void After: October 2016

Product: Water Heaters (Tankless) File No. 8991

Issued To: Kiturami

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada



# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 3

Void After: October 2016

Product: Water Heaters (Tankless) File No. 8991

Issued To: Kiturami

MODELS:

Model No. <u>Description</u>

KGWH-180FR Gas-Fire Instantaneous Water Heater KGWH-190FR Gas-Fire Instantaneous Water Heater



# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 4

Void After: October 2016

Product: Water Heaters (Tankless) File No. 8991

Issued To: Kiturami

ADDITIONAL COMPANY INFO:

### Noritz America Corporation

Model No. Description

NRCP 982-DV Gas-Fire Instantaneous Water Heater NRCP 1112-DV Gas-Fire Instantaneous Water Heater

## South Coast Air Quality Management District (SCAQMD) RULE 1146.2 - EMISSIONS OF OXIDES OF NITROGEN FROM LARGE WATER HEATERS AND SMALL BOILERS AND PROCESS HEATERS LIST OF CERTIFIED UNITS PURSUANT TO RULE 1146.2 (Updated Crobber 30, 2014) NOTE: The SCAQMD does not endorse or varrant any specific product or manufacturer

Company/Brand Name	Type 2 (> 400,0002,000,000 BTU/HR) (Complies with 14 ng/J or 20 ppm NOx @ 3% O2)	Type 1 (≤ 400,000 BTU/HR) (Complies with 14 ng/J or 20 ppm NOx @ 3% O2)	Type 1 (≤ 400,000 BTU/HR)  (Complies with 40 ng/J or 55 ppm NOx @ 3% O2)  (Certification expires 12/31/2011, Except for Pool Heaters)  (Sell-through until 12/31/2012, Except for Pool Heaters)	CONTACT Phone/E-mail/Web
Lochinvar-1	Power-Fin: P(E,F)N0501, P(B,F)N0751, P(B,F)N1001, P(B,F)N1300, P(B,F)N10502, P(B,F)N1052, P(B,F)N1052, P(B,F)N10502, P(B,F)N10502, P(B,F)N10501, P(B,F)N10501, P(B,F)N1701, P(B,F)N2061, P(B,F)N1701, P(B,F)N2061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(B,F)N1061, P(H,F,F)N1061, P(H,F,	Kinght, KBN080, KBN081, KBN105, KBN106, KBN150, KBN151, KBN210, KBN211, KBN226, KBN298, KBN399, KBN40, WAN125PM Armor: AWN150PM, AWN151PM, AWN190PM, AWN200PM, AWN205PM, AWN205PM, AWN200PM, AWN200P	Efficiency Plus Group: EW(NL)150, 200, 250, 300, EnergyRite: ERN (152, 202, 252, 302, 402) ERN (152, 202, 252, 302, 402) ETN076; 2,523, 302, 402) ETN076; C,NR608-0-76, DVN076-2, STN100, STN076-2, ETN100, ETN100-2, CNR086-100, CNR126-075-DF9-SC, CNR150-080-DF9-SC, CNR250-100-DF9-SC, CNR250-00-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC, CNR250-DF9-SC	Lisa Davis 615-889-8900 x2229
Lochinvar-2	Copper-Fin: C(B,W)M0497. C(B,W)M0477. C(B,W)M0477. C(B,W)M0477. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(B,W)M1437. C(H,F,P)M052. C(H,F,P)M052. C(H,F,P)M052. C(H,F,P)M1492. C(H,F,	Kinjatk KBN080, KBN081, KBN105, KBN108, KBN150, KBN151, KNN151, KOKN151, KBN210, KBN210, KNN211, KBN285, KBN286, KNN286, KBN398, KBN400, OKN400 KINjath Wall Mount: WBN050, WBN051, WBN080, WBN081, WBN0105, WBN106, WBN106, WBN106, WBN151, WBN210, WBN211 Armor: AWN150PM, AWN151PM, AAN151PM, AWN199PM, AWN20PM, AOAN20PM, AWN289PM, AOAN20PM, AWN289PM, AWN209PM, OAN20PM, AWN39PM, AWN400PM, OAN400PM Shield: SNR150-100, SNR220-100, SNR220-125, SNA500-125 WAS WALL WALL WALL WALL WALL WALL WALL W	Efficiency Plus Group: E[R-W](NL)156, 200, 250, 300, EnergyRite: ERN (152, 202, 252, 302, 402); ERN (152, 202, 252, 302, 402); ETN/056, CNR058-0076, DVN076-2, STN100, STN076-2, ETN100, ETN100-2, CNR058-100, CNR125-075-DF9-5C, CNR15-05-DF9-SC, CNR25-076-DF9-SC, CNR	Lisa Davis 615-889-8900 x2229
Lochinvar-3	FTX500N, FTX600N, FTX725N, FTX850N	CLN199100 100, CLN199100 200, CLN19980 200, CLN275085 100, CLN275085 100, CLN400085 100, CLN400085 100, CLN400085 100, CDN040, CDN070, CDN100, CDN120, CCN120, CLN075100 100, UTN10075 100, UBG2757574N4V100, CLN120080 104, CLN5450100 104, CLN250100 104, CLN250100 104, CLN250100 104, CLN250100 104, CLN250085 104, CLN350085 200, CLN350085	CGN075075, LTN(07575, 07575ST) CGN075100, LTN10075 LCN(07580, 07590ST) CXN(120070, 155080, 180100) CXN(199100, 250100, 275100, 310085, 365085, 400085)(A) Note: Additional letters and/or numbers may be placed (as suffix) to indicate trim packages and/or tracking numbers	Lina Davis 615-889-8900 x2229
Marathon International		BAXI HT 380, BAXI HT 1.330, BAXI Luna Duo Tec 40GA, BAXI Luna Duo Tec 1.330GA		Mike Thomas 905-602-5360, 416-878-8137
McKenna Boiler	MH-15; MH-20; MH-25; MH-30; MH-40; MH-50	MH-10		
Miura Boiler West, Inc.	LX-50G, LX-50SG, LXW-50G, LXL-50G, LXL-50SG			Ricardo Alcatara 626-305-6622 rick.alcantara@miuraboiler.com www.miuraboiler.com
Monitor Products, Inc.			MZ25S, MZ25C, MZ40C, MZ20-40C MWH-180 (indoor), MWH-180EX (Outdoor)	Bogdan Blicharz 609-584-0505 x 21
Navien, Inc.		CR-180A NG, CR-210A NG, CR-240A NG, CR-180 NG, CR-210 NG, CR-240 NG CR-240 NG CB-180, CB-210, CB-240 CH-180, CH-210, CH-240 CH-240 ASME CH-180 ASME, CH-210 ASME NR-180 NG, NR-180A NG, NP-180 NG, NP-180A NG, NR-210 NG, NR-		Kevin Pirotin 949-420-0420
Noritz America Corp.		NR83-DVC NRC98-(OD, DV) NRC98-(OD, DV), NRC661-(OD, DV), NRC1111-(OD, DV), NCC1991- (OD, DV), NCC1992-DV, NR981-(OD, DVC), NC1991-(OD, DVC), NR981- SV, EN18W130S, EN19W130S, NR501-OD NGA, NR662-OD NGA,NRC711-DV, NRC711-OD, NRC661A-DV, NRC661A-OD, NRCP982-DV, NRCP1112-DV, NRC663-FSV	N-042, N-063, N-084, N-132, N-063S, N-069M, N-132M, N-084M, N-084-DV, N- 132M, N069M-1, N069M-0D, N-063S-1, N-063S-D, N-0751M-DV  NH-1501-DV, NH-2001-DV, N-0751M, N-0751M-DD, N-0631S, N-0631S-OD, N- 0931M, N-0931M-ND-4SME, N-0531S-OD, N-0931M-N-0931M-DV-4SME, N- 1321M-4SME, N-0631S, N-0531S-OD, N-0841 MC, N-0841 MC-DV, N-0751M- DVC, N-0842MC, N-842MC-DV, N-0751M- DVC, N-0842MC, N-842MC-DV, N-0751M- DVC, N-0940MC, N-0940MC-DV, N-0751M- DVC, N-0940MC, N-0940MC-DV, N-0751M- DVC, N-0940MC, N-0940MC-DV, N-0751M- DVC, N-0940MC, N-0940MC-DV, N-0751M- DVC, N-0940MC-DV, N-0940MC-DV, N-0940MC-DV, N-0751M- DVC, N-0940MC-DV, N-0940MC	Stephanie Salas 714-433-2905 x7841 Fax 714-241-1196 ssalas @ noritz.com
Pacific Steam	BP-210, BP-300, BP-300S, BP-400, BP-500	BP-100, BP-100S, BP-200, BP-200S, BP-200SX		David Kang 562-906-9292 skang@pacificsteam.com



### OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 5 - Water Heaters, Hot Water Supply Boilers, and Heat Recovery Equipment

This is the Official Listing recorded on January 5, 2016.

Noritz 11160 Grace Avenue Fountain Valley, CA 92708 714-433-2905

Facility: Gyungsangbuk-do, Republic of Korea

### Water Heaters, Hot Water Supply Boilers, and Heat Recovery Equipment

	BTU/KW	Gall	lons/Hou	r beliv	rery at	Indicat	tea Temp	perature	Rise
Model Number	(1000's)	40°F	50°F	60°F	70°F	80°F	100°F	120°F	140°F
NRCP1112-DV-LP	199 BTU	578	459	381	326	285	226	188	161
NRCP1112-DV-NG	199 BTU	578	459	381	326	285	226	188	161
NRCP982-DV-LP	180 BTU	526	420	348	299	261	210	174	148
NRCP982-DV-NG	180 BTU	526	420	348	299	261	210	174	148

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International. 1 of 1

## South Coast Air Quality Management District (SCAQMD) RULE 1146.2 - EMISSIONS OF OXIDES OF NITROGEN FROM LARGE WATER HEATERS AND SMALL BOILERS AND PROCESS HEATERS LIST OF CERTIFIED UNITS PURSUANT TO RULE 1146.2 (Updated October 23, 2015) NOTE: The SCAQMD does not endorse or warrant any specific product or manufacturer

Company/Brand Name	Type 2 (> 400,000-2,000,000 BTU/HR) (Compiles with 14 ng/J or 20 ppm NOx @ 3% O2)	Type 1 (≤ 400,000 BTU/HR) (Complies with 14 ng/J or 20 ppm NOx @ 3% O2)	Type 1 (≤ 400,000 BTU/HR) (Complies with 40 ng/J or 55 ppm NOx @ 3% O2) (Certification expires 12/31/2011, Except for Pool Heaters) (Sell-through until 12/31/2012, Except for Pool Heaters)	CONTACT Phone/E-mail/Web
Noritz America Corp.		NR83-DVC NRC98-(OD, DV) NRC98-(OD, DV), NRC661-(OD, DV), NRC1111-(OD, DV), NCC1991-(OD, DV), NRC681-(OD, DV), NRC991-(OD, DV), NRC981-SV, EN18W130S, NR691-OD NGA, NR662-OD, NGA, NRC711-DV, NRC711-OD, NRC681A-DV, NRC681A-OD, NRC982-DV, NRC9111-DV, NRC911-DV, NRC982-SV, NRC982-DV, NRC9111-DV, NRC9111-DV, NRC982-SV, NRC982-DV, NRC9111-DV, NRC981-SV, NRC	N-042, N-063, N-084, N-132, N-063S, N-069M, N-132M, N-084M, N-084-DV, N- 132M, N069M-1, N069M-OD, N-063S-1, N063S-OD, N-0751M-DV  NH-1501-DV, NH-2001-DV, N-0751M, N-0751M-OD, N-0631S, N-0631S-OD, N- 0331M, N-0931M-DV, N-0931M-OD, N-0931M-ASME, N-0331M-OV-SME, N- 1321M-ASME, N-063S1S, N-0531S-OD, N-0841 MC, N-0841 MC-DV, N-0751M- DVC, N-0942MC-DV  NR66-SV, NR66-OD, NR71-SV, NR71-OD, NR98-SV, NR98-OD, NR98-DVC, NC199-OD, NC199-DVC, NRC111-SV, NRC111-DV, NCC199-SV, NCC199-DV, NR111-DV, NR111-DV	Stephanie Salas 714-432-2905 x7841 Fax 714-241-1196 ssalas @ noritz.com
Pacific Steam	BP-210, BP-300, BP-300S, BP-400, BP-500	BP-100, BP-100S, BP-200, BP-200S, BP-200SX		David Kang 562-906-9292 skang@pacificsteam.com
Parker Boiler Company	103-15L, 103-20L, 103-25L, 15L, 15LR, 20L, 20LR, 25L, 25LR, 30LR, 40LR, 70LR, H7432L, WH490L, WH490LR, T490L, T490LR, H7528L, T500LT, FBOOLR, WH600LW, H600LR, H7672L, WH730LW, H7730LR, T790LT, T790LR, T790LR, WH370LR, H770LR, WH370LR, H770LR, WH370LR, H770LR, WH370LR, H7140DL, H740LS, H74120LR, H74120LW, WH4170LW, WH410LW, H4140LR, H740DL, WH4120LR, H740DL, H740DL, H790LW, WH490DL, WH490DL, WH490DL, WH490DL, WH490DL, H750DL, H790LY, T260DL (1990), WH2270LK, 1990), H7230LK, 1990, WH2650LK, 1990, H7230LK, 1990, WH300DL (1990), H7260DL (1990), WH300DL (1990), H730DL (1990)	103-9.5L, 9.5L, 9.5LR, HT180L, HT247L, T300LR, T395L, T395LR, WH396LR, HT395L, HT126L, WH395L, T300L, WH300L	3LA, 7LA, 9.5LA	Greg Danenhauer (323) 727-9800 www.parkerboiler.com
Paloma (Paloma Industries, Inc). Paloma Ecosense Raypak Rheem Rheem		Paloma: PH2-25R DVSN, PH2-25R OFN, PH2-20R DVSN, PH2-20R OFN, PHH-32RDVN, PH4-32ROFN, PH2-28RDVSLN, PH2-28RDFLN, PH2-28RDFLN, PH2-28RDFLN, PH2-28RDFLN, PSROFLN, PSRO	Palomac PH-16ESN, PTG-42PVN, PH-28RIESN, PH-28RCIN, PTG-74PVN, PTG-74VN, PH-28CIFSN, PH-28COFN, PH-28COFN, PH-28COFN, PTG-34DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PTG-74DVN, PH-28R DVSN, PTG-74DVSN, PTG-74DVSN, PTG-74DVSN, PTG-74DVN, PTG-74DVN	Hadi Takeuchi 805-278-5499
Paloma (Paloma Industries, Inc). Richmond Ruud SureComfort WalWela		1, RMTG-84XLN-1, RMTG-64XLN-1 Ruud:RUTG-84DVN, RUTG-84XN, RUTG-64DVN, RUTG-64XN. RUTGH-95DVN, RUTGH-95XLN	Richmond: RMTG-42PVN, RMTG-74PVN, RMTG-74XN, RMTG-74DVN, RMTG-2-42PVN, RMTG-32PVN, RMTG-53DVN, RMTG-66DVN, RMTG-66DVN, RMTG-66DVN, RMTG-65DVN, RMTG-65DVN, RMTG-66DVN, RMTG-85DVN, RMTG-85DVN, RMTG-85DVN, RMTG-85DVN, RMTG-87DVN, RMTG-87DVN, RMTG-74PVN, RMTG-66DVN, RMTG-66XN, RMTG-85DVN, RMTG-95MV, RMTG-95MV	Hadi Takeuchi 805-279-5499